

## **Health Effects of Odour: Compiled by Dr. Bill Paton, Brandon University.**

R.Ader and N.Cohen (1991). The influence of conditioning on immune responses. In : Ader, R., Felten, D.L. and Cohen, N., eds. Psychoneuroimmunology. 2<sup>nd</sup> ed. San Diego: Academic Press pp. 611 – 646.

Agriculture and Agri-Food Canada Research Branch (1999). The Health of Our Air. Toward sustainable agriculture in Canada. 71 – 78.

D.J. Allison and D.A. Powis (1976). Early and late hind-limb vascular responses to stimulation of receptors in the nose of the rabbit. *Journal of Physiology ( London)* 262 (2) : 301 – 317.

R.G. Ames and J.W. Stratton (1991). Acute health effects from community exposure to n-propyl mercaptan from a ethoprop (Mocap) – treated potato field in Siskiyou County, California . *Archives of Environmental Health* 46 : 213 – 217.

N.A. Ashford and C.S. Miller (1991). Chemical exposures. Low levels and high stakes. New York : Van Nostrand.

R.A. Baron (1990). Environmentally induced positive effect : Its impact on self – efficacy, task performance, negotiation, and conflict. *Journal of Applied Social Psychology* 20 : 368 – 384.

H. Besedovsky, E. Sorkin, D. Felix and H. Haas (1977). Hypothalamic changes during the immune response. *European Journal of Immunology* 7 : 323 – 325.

G. Bilkei and O. Biro (2000). Occupational hazards for veterinary surgeons responsible for intensive pig herds. II. The effect of air pollution on the health of veterinarians. *Tierärztliche- Umschau* 55(5): 268 – 270, 273.

D.W. Black, A. Rathe and R.B. Goldstein (1990). Environmental illness. A controlled study of 26 subjects with “ 20 century disease”. *Journal of the American Medical Association* 264 : 3166 – 3170.

P. Bongers, D. Houthuijs and B. Remijn (1987). Lung function and respiratory symptoms in pig farmers. *British Journal of Industrial Medicine* 44 : 819 – 823.

P. Brodal (1992). The central nervous system : Structure and function. Oxford: ) Oxford University Press pp. 370 – 371.

W.H. Brooks, R.J. Cross, T.L.Roszman and W.R. Markesbery (1982). Neuroimmunomodulation : Neural anatomical basis for impairment and facilitation. *Annals of Neurology* 12 : 56 – 61.

M.F. Carvalheiro, Y. Peterson, E. Rubenowitz and R. Rylander (1995). Bronchial reactivity and work-related symptoms in farmers. *American Journal of Industrial Medicine* 27 : 65 – 74.

D.C. Christiani (1999). Occupational and environmental lung problems of industrializing countries. *Seminars in Respiratory and Critical care Medicine* 20 (6) : 551 – 558.

J.E. Cometto – Muniz and W.S. Cain (1991). Influence of airborne contaminants on olfaction and the common chemical sense. In : Getchell, T.V., Doty, R.L. , Bartoshuk, L.M. and Snow, J.B., Jr., eds. *Smell and taste in health and disease*. New York : Raven Press pp. 765 – 785.

Y.C. Chung, C.P. Huang, C.P. Tseng and J.R. Pan (2000). Biotreatment of H<sub>2</sub>S- and NH<sub>3</sub>- containing waste gases by co-immobilized cells biofilter. *Chemosphere* 41(3): 329-336.

R.J. Cross, W.R. Markesbery, W.H. Brooks and T.L. Roszman (1980). Hypothalamic – immune interactions. I. The acute effect of anterior hypothalamic lesions on the immune response. *Brain Research* 196 : 79 – 87.

R.J. Cross, W.H. Brooks, T.L. Roszman and W.R. Markesbery ( 1982). Hypothalamic – immune interactions. Effect of hypophysectomy on neuroimmunomodulation. *Journal of Neurological Science* 53 : 557 – 566.

A.L. Davidoff and L. Fogarty (1994). Psychogenic origins of Multiple Chemical Sensitivities syndrome : A critical review of the research literature. *Archives of Environmental Health* 49 (5) : 316 – 325.

K.J. Donham (1986). Hazardous agents in agricultural dusts and methods of evaluation. *American Journal of Industrial Medicine* 10: 205-220.

K.J. Donham (1989). Relationships of air quality and productivity in intensive swine housing. *Agri-Practice* 10: 15-26.

K.J. Donham (1990). Health effects from work in swine confinement buildings. *American Journal of Industrial Medicine* 17: 17-25.

K.J. Donham (1990). Health concerns from the air environment in intensive swine housing : Where have we come from and where are we going? In : *Making swine buildings a safer place to work*. Des Moines, IA : National Pork Producers Council pp. 9 – 20.

K.J. Donham (1993). Respiratory disease hazards to workers in livestock and poultry confinement structures. *Seminars in Respiratory Medicine* 14: 49-59.

K.J. Donham, P. Haglind, Y. Peterson, R. Rylander and L. Belin (1989). Environmental and health studies of farm workers in Swedish swine confinement buildings. *British Journal of Industrial Medicine* 46 : 31 – 37.

- K.J. Donham, S. Reynolds, P. Whitten, J. Merchant, L. Burmeister and W. Pependorf (1995). Respiratory dysfunction in swine production facility workers : dose – response relationships of environmental exposures and pulmonary function. *American Journal of Industrial Medicine* 27 : 405 – 418.
- K.J. Donham, M.J. Rubino and T.D. Thedell (1977). Potential health hazards of workers in swine confinement buildings. *Journal of Occupational Medicine* 19(6): 383-387.
- J.A. Dosman, A. Senthilselvan, S.P. Kirychuk, S. Lemay, E.M. Barber, P. Willson, Y. Coemier and T.S. Hurst (2000). Positive human health effects of wearing a respirator in a swine barn. *Chest* 118(3): 852-860.
- D.G. Dyck, L.Janz, T.A. Osachuk, J.Falk, J. Labinsky and A.H. Greenberg (1990). The Pavlovian conditioning of IL –1 – induced glucocorticoid secretion. *Brain Behaviour and Immunology* 4 : 93 – 104.
- H. Ehrlichman and L. Bastone (1992). The use of odour in the study of emotion. In: van Toller, S.; Dodd, G.H., eds. *Fragrance. The psychology and biology of perfume*. London: Elsevier Applied Science: 143 – 159.
- A.R.W. Elbers, P.J. Blaauw, M. Devries, P.J.M.M. Vangulick, O.L.M.J. SmiiŸÁ□7  
ical study of several professional groups of Dutch veterinarians. 2. Peak expiratory flow variability, dust and endotoxin measurements, use of respiratory protection devices, and time distribution of professional activities. *Veterinary Quarterly* 18 (4) : 132 – 136.
- J.Floyer : A treatise of the asthma, 1698, as quoted by Sakula,A. Sir John Floyer’s A treatise of the asthma (1698). *Thorax* 39 : 249 – 254 (1984).
- M. Fukuda, T.Ono and K. Nakamura (1987). Functional relations among inferotemporal cortex, amygdala, and lateral hypothalamus in monkey operant feeding behavior. *Journal of Neurophysiology* 57 : 1060 – 1077.
- D.C. Glass (1990). A review of the health effects of hydrogen sulphide exposure. *Annals of Occupational Hygiene* 34 (3) : 323 – 327.
- J.R. Goldsmith (1973). Annoyance and health reactions to odor from refineries and other industries in Carson, California, 1972. In: J.R. Goldsmith, ed. *Health and annoyance impact of odor pollution*. Environmental protection technology series. EPA – 650/1 – 75 – 001. Washington, DC: Environmental Protection Agency : 189 – 227.
- G.A. Goodwin, C.J. Heyser, C.A. Moody, L. Rajachandran, V.A. Molina, H.M. Arnold, D.L. McKinzie, N.E. Spear and L.P.A. Spear (1992). A fostering study of the effects of prenatal cocaine exposure: II. Offspring behavioural measures. *Neurotoxicology and Teratology* 14 : 423 – 432.

- R. Guevara- Guzman, D.E. Garcia- Diaz, L.P. Solano- Flores, M.J. Wayner and D.L. Armstrong (1991). Role of the paraventricular nucleus in the projection from the nucleus of the solitary tract to the olfactory bulb. *Brain Research Bulletin* 27 : 447 – 450.
- M.Herbert, R.Glick and H.Black (1967). Olfactory precipitants of bronchial asthma. *Journal of Psychosomatic Research* 11 : 195 – 202.
- T. Hinz and K.H. Krause ( 1987). Emission of respiratory biological-mixed aerosols from animal houses. In: Bruce, J.M.; Sommer M. (eds) : Environmental aspects of respiratory disease in intensive pig and poultry houses, including the implications for human health. Proceedings of EEC Conference, Aberdeen, 29 – 30 October, pp. 81 – 89.
- R.N. Hiramoto, V.K. Ghanta, C.F. Rogers and N.S. Hiramoto ( 1991). Conditioning the elevation of body temperature, a host defensive reflex response. *Life Science* 49 :93 – 99.
- D.L. Holness, E.L. O’Blenis, A. Sass-Kortsak, C.Pilger and J.R. Nethercott (1987). Respiratory effects and dust exposures in hog confinement farming. *American Journal of Industrial Medicine* 11 : 571 – 580.
- P.S. Hunt, J.C. Molina, L. Rajachandran, L.P. Spear and N.E. Spear ( 1993). Chronic administration of alcohol in the developing rat: Expression of functional tolerance and alcohol olfactory aversions. *Behaviour and Neural Biology* 59 : 87 – 99.
- O. Kadlecova, K. Masek, J. Seifert and P. Petrovicky (1987). The involvement of some brain structures in the effects of immunomodulators. *Annals of the New York Academy of Sciences* 496 : 394 – 398.
- Z. Karadi, Y. Oomura, H. Nishino and S. Aou (1989). Olfactory coding in the monkey lateral hypothalamus : Behavioral and neurochemical properties of odor – responding neurons. *Physiological Behavior* 45 : 1249 – 1257.
- M. Katayama, S. Kobayashi , N. Kuramoto and M.M. Yokoyama (1987). Effects of hypothalamic lesions on lymphocyte subsets in mice. *Annals of the New York Academy of Sciences* 496 : 366 – 376.
- M.S. Kiekhaefer, K.J. Donham et al. (1995). Cross seasonal studies of airborne microbial populations and environment in swine buildings: Implications for worker and animal health. *Annals of Agricultural and Environmental Medicine* 2(2) : 37-44.
- K. H. Kilburn (1989). Is the human nervous system most sensitive to environmental toxins. *Archives of Environmental Health* 44 : 343 – 344.
- K.H. Kilburn, R. H. Warsaw, and M. G. Shields (1989). Neurobehavioral dysfunction in firemen exposed to polychlorinated biphenyls (PCBs) : possible improvement after detoxification. *Archives of Environmental Health* 44: 345 – 350.

K.A. Larsson, A.G. Eklund, L-O. Hansson, B-M. Isaksson and P.O. Malmberg (1994). Swine dust causes intense airways inflammation in healthy subjects. *American Journal of Respiratory and Critical Care Medicine* 150 : 973 – 977.

M.Lefebvre, D.Yee, D.Fritz and M.G.Prior. (1991). Objective measures of Ocular Irritation as a Consequence of Hydrogen Sulphide Exposure. *Veterinary and Human Toxicology* 33(6) : 564 - .

T.E. Levina (1988). Hygienic significance of aliphatic amines in the air of pig houses. *Veterinariya Moskva* 8 : 26f.

T.E. Levina (1989). Diethylamine in the air of pig houses. *Veterinariya Moskva* 12 : 22f.

T.S. Lorig (1989). Human EEG and odor response. *Progress in Neurobiology* 33 : 387 – 398.

T.S. Lorig (1992). Cognitive and noncognitive effects of odour exposure: Electrophysiological and behavioral evidence. In : Van Toller, S. and Dodd, G.H., eds. *The psychology and biology of perfume*. London : Elsevier Applied Science : 161 – 173.

T.S. Lorig, E. Huffman, A. DeMartino and J. DeMarco (1991). The effects of low concentrations odors on EEG activity and behavior. *Journal of Psychophysiology* 5 : 69 – 77.

T.S. Lorig and M. Roberts (1990). Odor and cognitive alteration of the contingent negative variation. *Chemical Senses* 15 : 537 – 545.

T.S. Lorig , A.C. Sapp, J.Campbell and W.S. Cain ( 1993). Event-related potentials to odor stimuli. *Bulletin of the Psychonomic Society* 31 : 131 – 134.

T.S. Lorig and G.E. Schwartz (1988). Brain and odor – I : Alteration of human EEG by odor administration. *Psychobiology* 16 : 281 – 284.

H.W. Ludvigson and T.R. Rottman (1989). Effects of ambient odors of lavender and cloves on cognition, memory, affect and mood. *Chemical Senses* 14: 525- 536.

J.J. May (1997). Rapporteur report : Airborne exposure, lung disease, exposure assessment. In: *Agricultural Health and Safety: Recent Advances*. pp.33-36. K.J. Donham, R. Rautiainen, S.S. Schuman and J.A. Lay (editors). The Hawaorth Medical Press, New York & London.

J.B. McQuitty and J.J.R. Feddes (1978). WARNING : manure gases are dangerous. *Agriculture and Forestry Bulletin* 1, 10pp.

C.L. Meachum and I.L. Bernstein (1992). Behavioral conditioned responses to contextual and odor stimuli paired with LiCl administration. *Physiological Behaviour* 52: 895 – 899.

- W.J. Meggs (1993). Neurogenic inflammation and sensitivity to environmental chemicals. *Environmental Health Perspectives* 101 (3) : 234 – 238.
- W.J. Meggs (1995). Neurogenic switching : A hypothesis for a mechanism for shifting the site of inflammation in allergy and chemical sensitivity. *Environmental Health Perspectives* 103 (1) : 54 – 56.
- D.M. Nance, D. Rayson and R.I. Carr (1987). The effects of lesions in the lateral septal and hippocampal areas on the humoral immune response of adult female rats. *Brain Behavior and Immunology* 1 : 292 – 305.
- NIOSH (1977). Criteria for a Recommended Standard. Occupational Exposure to Hydrogen Sulfide. National Institute for Occupational Safety and Health, Cincinnati, Ohio. USA.
- T. Ono, P.G. Luiten, H. Nishijo, M. Fukuda and H. Nishino (1985). Topographic organization of projections from the amygdala to the hypothalamus of the rat. *Neuroscience Research* 2 : 221 – 238.
- Y. Oomura (1980). Input – output organization in the hypothalamus relating to food intake behavior. In : Morgane, P., Panksepp, J., eds. *Handbook of the hypothalamus*. Vol.2. New York : Marcel Dekker pp. 557 – 620.
- Y. Oomura (1987). Modulation of prefrontal and hypothalamic activity by chemical senses in the chronic monkey. In : Kawamura, Y. and Kare, M.R. eds. *Umami : A basic taste*. New York : Marcel Dekker pp. 481 – 509.
- Y. Oomura, T. Ono and H. Ooyama (1970). Inhibitory action of the amygdala on the lateral hypothalamic area in rats. *Nature* 228 : 1108 – 1110.
- K. Radon, S. Garz, A. Schottky, F. Koops, J. Hartung, D. Szadkowski and D. Nowak (2000). Lung function and work-related exposure in pig farmers with respiratory symptoms. *Journal of Occupational and Environmental Medicine* 42(8): 814-820.
- S.J. Reynolds, K. Donham, P. Whitten, J.A. Merchant, L.F. Burmeister and W.J. Popendorf (1996). Longitudinal evaluation of dose-response relationships for environmental exposures and pulmonary function in swine production workers. *American Journal of Industrial Medicine* 29 : 33 – 40.
- S.J. Reynolds, K.J. Donham, J. Stookesberry, P.S. Thorne, P. Subramanian, K. Thu and P. Whitten (1997). Air quality assessments in the vicinity of swine production facilities. In: *Agricultural Health and Safety: Recent Advances* ( Donham, K.J. ed ) : The Haworth Press, Inc., 37 – 45.
- E. Roberts (1986). Alzheimer's disease may begin in the nose and may be caused by aluminosilicates. *Neurobiology of Aging* 7 : 561 – 567.

T.L. Roszman, R.J. Cross, W.H. Brooks and W.R. Markesbery (1982). Hypothalamic – immune interactions. II. The effect of hypothalamic lesions on the ability of adherent spleen cells to limit lymphocyte blastogenesis. *Immunology* 45 : 737 – 742.

J. Rotton. (1983). Affective and cognitive consequences of malodorous pollution. *Basic Applied Social Psychology* 4: 171 – 191.

K.P. Satin, S. Huie and L. Croen (1986). Operating Industries Inc. health effects study. Berkeley, CA : California Department of Health Services, Epidemiological Studies Section.

K.P.Satin, G. Windham, J. Stratton and R. Neutra (1987). Del Amo – Montrose Health effects study, Berkeley, CA: California Department of health Services, Epidemiological Studies Section.

M.E. Scarborough, R.G. Ames, R.G. Lipsett and R.J. Jackson (1989). Acute health effects of community exposure to cotton defoliant. *Archives of Environmental Health* 44 : 355 – 360.

S.S.Schiffman ( 1998). Livestock odors : Implications for human health and well-being. *Journal of Animal Science* 76 : 1343 – 1355.

S.S. Schiffman, E.A. Sattely Miller, M.S. Suggs and B.G. Graham (1995). The Effect of Environmental Odors Emanating from Commercial Swine Operations on the Mood of Nearby Residents. *Brain Research Bulletin* 37 (4) : 369 – 375.

S.S. Schiffman, E.A. Sattely Miller, M.S. Suggs and B.G. Graham (1994 a). The effect of pleasant odors and hormone status on mood of women at midlife. *Brain Research Bulletin* 36 : 19 – 29.

S.S. Schiffman, M.S. Suggs and A.E. Sattely Miller (1994 b). Effects of pleasant odors on mood of males at midlife: Comparison of African – American and European-American men. *Brain Research Bulletin* 36 : 31 – 37.

J.W. Scott and C. Pfaffmann (1967). Olfactory input to the hypothalamus: Electrophysiological evidence. *Science* 158 : 1592 – 1594.

C. Shim and M.H. Williams,Jr. (1986). Effect of odors in asthma. *The American Journal of Medicine* 80 : 18 – 22.

G.E. Simon, W.J. Katon and P.J. Sparks (1990). Allergic to life : psychological factors in environmental illness. *American Journal of Psychiatry* 147 : 901 – 906.

- J. Simpson, R. Niven, C. Pickering, A. Fletcher, L. Oldham and H. Francis (1998). Prevalence and predictors of work related respiratory symptoms in workers exposed to organic dusts. *Occupational and Environmental Medicine* 55 : 668 – 672.
- G.F. Solomon (1987). Psychoneuroimmunology : Interactions between central nervous system and immune system. *Journal of Neuroscience Research* 18 : 1 – 9.
- H.B. Solvason, V.K. Ghanta, J.F. Lorden , S.J. Soong and R.N. Hiramoto (1991). A behavioral augmentation of natural immunity: Odor specificity supports a Pavlovian conditioning model. *International Journal of Neuroscience* 61 : 277 - 288.
- H.B. Solvason, V.K. Ghanta, S.J. Soong, C.F. Rogers, C.M. Hsueh, N.S. Hiramoto and R.N. Hiramoto (1992). A simple, single, trial-learning paradigm for conditioned increase in natural killer cell activity. *Proceedings of the Society for Experimental Biology and Medicine* 199 : 199 – 203.
- D. Shusterman. (1992). Critical review : The Health Significance of Environmental Odor Pollution. *Archives of Environmental Health* 47(1): 76 – 87.
- M. Stein and P. Ottenberg (1958). Role of odors in asthma. *Psychosomatic Medicine* 20: 60-65.
- B. Steinheider (1999). Environmental odours and somatic complaints. *Zentralblatt fur Hygiene und Umweltmedizin* 202 ( 2-4 ) : 101 – 119.
- S.D. St.George and J.J.R. Feddes (1995a). Electrical properties of organic and respirable swine dusts. *Canadian Agricultural Engineering* 37(2): 97 – 102.
- S.D. St.George and J.J.R. Feddes (1995b). Removal of airborne swine dust by electrostatic precipitation. *Canadian Agricultural Engineering* 37(2): 103 – 108.
- J. Sutin, R.L. McBride, R.H. Thalmann and E.L. Van Atta (1975). Organization of some brainstem and limbic connections of the hypothalamus. *Pharmacology and Biochemistry of Behavior* 3 (Suppl. 1 ) : 49 – 59.
- S.F. Takagi (1986). Studies of the olfactory system in the old world monkey. *Progress in Neurobiology* 27 : 195 – 250.
- T. Tanabe, M. Iino and S.F. Takagi (1975). Discrimination of odors in olfactory bulb, pyriform – amygdaloid areas, and orbito frontal cortex of the monkey. *Journal of Neurophysiology* 38 : 1284 – 1296.
- Y. Tazawa, N. Onoda and S.F. Takagi (1987). Olfactory input of the lateral hypothalamus of the old world monkey. *Neuroscience Research* 4 : 357 – 375.

K. Thu, K. Donham, R. Ziegenhorn, S. Reynolds, P.S. Thorne, P. Subramanian, P. Whitten and J. Stookesberry (1997). A control study of the physical and mental health of residents living near a large-scale swine operation. *Journal of Agricultural Safety and Health* 3(1) : 13-26.

L. Tyrey and A.V. Nalbandov (1972). Influence of anterior hypothalamic lesions on circulating antibody titers in the rat. *American Journal of Physiology* 222 : 179 – 185.

B. Urbain, P. Gustin, J-F. Prouvost and M. Ansay (1994). Quantitative assessment of aerial ammonia toxicity to the nasal mucosa by the use of nasal lavage method in pigs. *American Journal of Veterinary Research* 55 (9) : 1335 – 1340.

O. Van-den- Bergh, K. Stegen, I. Van-Diest, C.Raes, P. Stulens, P.Eelen, H.Veulemans, K.P. Van de Woestijne and B. Nemery (1999). Acquisition and extinction of somatic symptoms in response to odours : a pavlovian paradigm relevant to multiple chemical sensitivity. *Occupational and Environmental Medicine* 56 (5) : 295 – 301.

P. Vogelzang, J. van der Gulden, H. Folgering, J. Kolk, D. Heederik, L. Preller , M. Tielen and C. van Schayck (1998). Endotoxin exposure as a major determinant of lung function decline in pig farmers. *American Journal of Respiratory Critical Care Medicine* 157 : 15 – 18.

S. von Kluge and F.R. Brush (1992). Conditioned taste and taste-potentiated odor aversions in the Syracuse high- and low- avoidance (SHA/Bru and SLA/Bru) strains of rats. *Journal of Comparative Psychology* 106 : 248 – 253.

S. Wing and S. Wolf (1999). Intensive livestock operations, health and quality of life among eastern North Carolina residents. Report for North Carolina Department of Health and Human Services, Division of Public Health. May 6. 20pp.

G. Winneke and J.Kastka. (1977). Odor pollution and odor annoyance reactions in industrial areas of the Rhine-Ruhr region. *Olfaction and taste VI*, Paris. Oxford; IRL Press: 471 – 479.

J.E. Zejda, T.S. Hurst, C.S. Rhodes, E.M. Barber, H.H. McDuffie and J.A. Dosman (1993). Respiratory health of swine producers: Focus on young workers. *Chest* 103: 702 – 709.

J.E. Zejda, E. Barber, J.A. Dosman, S.A. Olenchock, H.H. McDuffie, C. Rhodes and T. Hurst ( 1994). Respiratory health in swine producers relates to endotoxin exposure in the presence of low dust levels. *JOM* 36 : 49 – 56.