

Measuring Odour: Compiled by Dr. Bill Paton, Brandon University

S.A. Battersby, (1981). Institute of Environmental Health Officers Agricultural Odours Survey, April 1980 – March 1981. MAFF Farm Odour Group, Paper FOG / 14.

B. Duckworth (1998). Pig manure smells need new controls. Western Producer. January 22.

A.J. Du Toit (1987). Quantification of odour problems associated with liquid and solid feedlot and poultry wastes. Water Science & Technology 19 : 31 – 41.

E.G. Hammond, C. Fedler and G.A. Junk (1979). Identification of dust-borne odours in swine confinement facilities. Transactions of the American Society of Agricultural Engineers 22 : 1186 – 1189.

M. Hangartner, J.Hartung, M.Paduch, B.F.Pain and J.H.Voorburg. (1989). Improved recommendations on olfactometric measurements. Environmental Technology Letters 10: 231 – 236.

H.H. Kowalewsky (1981). Messen und Bewertung von Geruchsimmissionen. (Measuring and evaluating odour emissions). KTBL Schrift 216, Landwirtschaftsverlag GmbH, Munster, Germany.

H.H. Kowalewsky, R. Schev and H. Vetter (1980). Measurement of odour emissions and immissions. In : *Effluents from livestock* (Gasser, J.K.R. (Ed.)). Applied Science Publishers, London, pp. 609 – 626.

J.R. Miner, M.D. Kelly and A.W. Anderson (1975). Identification and measurement of volatile compounds within a swine building and measurement of ammonia evolution rates from manure-covered surfaces. In : *Managing livestock wastes*. St. Joseph, MI: American Society of Agricultural Engineers : 351 – 353.

B.F. Pain, C.R. Clarkson, V.R. Phillips, J.V. Klarenbeek, T.H. Misselbrook and M. Bruins (1991). Odour emissions arising from application of livestock slurries on land: Measurements following spreading using a micrometeorological technique and olfactometry. Journal Agricultural Engineering Research 48 : 101 – 110.

J. Schaefer (1977). Sampling, characterization and analysis of malodours. Agriculture and Environment 3 (2,3) : 121 – 128.

J. Schaefer (1980). Development of instrumental methods for measuring odour levels in intensive livestock buildings. In : *Effluents from livestock* (Gasser, J.K.R. (Ed.)). Applied Science Publishers, London, pp. 513 – 535.

T.J.Schulz and A.P. Vanharreveld. (1996). International moves towards standardization of odour measurement using olfactometry. *Water Science and Technology* 34(3-4) : 541 – 547.

J.R. Sweeten and J.R. Miner. (1993). Odor intensities at cattle feedlots in nuisance litigation. *Bioresource Technology* 45:177-188.

L. Wallace, W. Nelson, R. Ziegenfus, E. Pellizzari, L.Michael, R. whitmore, H. Zelon, T. Hartwell, R. Perritt and D. Westerdahl (1991). The Los Angeles TEAM study : Personal exposures, indoor – outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. *Journal Expo Anal Care Environment Epidemiology* 1 : 157 – 192.

P.O. Warner, K.S. Sidhu and L. Chadzynski. (1990). Measurement and impact of agricultural odors from a large scale swine production farm. *Veterinary and Human Toxicology* 32(4) : 319 – 323.

A.G. Williams (1984). Indicators of Piggery Slurry Odour Offensiveness. *Agricultural Wastes* 10 : 15 – 36.